

**AMENDED**  
**APPLICATION FOR PERMIT**

Serial No. 8192

**TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA**

Date of first receipt and filing in State Engineer's office JUN 22 1927  
Returned to applicant for correction FEB -9 1928  
Corrected application filed MAR 23 1928

The undersigned Frank Ludwig  
Name of applicant  
of Ely, County of White Pine,  
State of Nevada, hereby make S application for  
permission to appropriate the public waters of the State of Nevada, as  
hereinafter stated. (If applicant is a corporation, give date and place  
of incorporation.)

1. The source of the proposed appropriation is Ludwig Spring  
Name of stream, lake, or other source
2. The amount of water applied for is one second-foot.  
One-second-foot equals 40 miners' inches
3. The water to be used for Irrigation & Domestic  
Irrigation, power, mining, manufacturing, domestic, or other use
4. The water is to be diverted from its source at the following point:  
whence the N $\frac{1}{4}$  Cor. Sec. 10, T. 18 N; R. 62 E., M.D.M., bears  
Describe as being within a 40-acre subdivision of public survey, or by course and distance to a section-corner. If on unsurveyed land, it should be so stated.  
N. 72°30'E., 760 feet.

**IF THE WATER IS TO BE USED FOR IRRIGATION, SUPPLY THE FOLLOWING INFORMATION:**

- (a) Number of acres to be irrigated is 100 acres
- (b) Description of land to be irrigated NE $\frac{1}{4}$  NW $\frac{1}{4}$ : N $\frac{1}{2}$  NE $\frac{1}{4}$ : Sec. 10 and  
Describe by legal subdivision, or if on unsurveyed land it should  
the NW $\frac{1}{4}$  NW $\frac{1}{4}$ : Sec. 11, Tp. 18 N; R. 62 E., M.D.B.&M.  
be so stated and a description provided in accordance with special instruction from the State Engineer when application is returned for correction.

- (c) Use will begin about May and end about September, of each year.  
Month Month

**IF WATER IS TO BE USED FOR POWER, MINING, STOCK WATERING, OR OTHER USE, SUPPLY THE FOLLOWING INFORMATION:**

- (d) Power to be developed is \_\_\_\_\_ horsepower.
- (e) Works to be located in the NE $\frac{1}{4}$  NW $\frac{1}{4}$  Sec. 10, T. 18 N; R. 62 E., M.D.M.  
Give 40-acre subdivision on which works will be located, or locate by course and distance to a section-corner.
- (f) Point of return of water to stream not returned.  
Describe in same manner as point of diversion.
- (g) State number and kinds of animals to be watered \_\_\_\_\_
- (h) Use will begin about \_\_\_\_\_ and end about \_\_\_\_\_, of each year.  
Month Month
- (i) Remarks \_\_\_\_\_

DESCRIPTION OF PROPOSED WORKS

Main ditch from spring 3/4 mile long 2 ft. wide 2 ft. deep

State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits. If water

Digging out spring by tunnel 150 long 5 ft. 6 ft.

is to be stored in reservoirs, it should be so stated and the location of the reservoir should be given with reference to the legal subdivisions.

Reservoir 30 ft. x 30 ft. x 10 ft. Located NE 1/4 NW 1/4 Sec. 10, T. 18 N; R. 62 East M.D.B.&M.

5. Estimated cost of works Two Thousand Dollars

6. Estimated time required to construct works Two years

7. Remarks

For use of applicant

Frank Ludwig, Applicant.

Ruling 1318, dtd 1-21-69

By

Compared C. J. - SMB

This sheet inspected

, Engineer.

DENIAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby ~~grant~~ deny the same, subject to the following limitations and conditions:

on the grounds that the applicant or his successors in interest failed to submit the information requested and the approval of this application without the information requested, would be detrimental to the public welfare.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed cubic feet per second.

Actual construction work shall begin on or before

Proof of commencement of work shall be filed before

Work must be prosecuted with reasonable diligence and be completed on or before

Proof of completion of work shall be filed before

Application of water to beneficial use shall be made on or before

Proof of the application of water to beneficial use must be filed with State Engineer on or before

Filed March 23, 1928

WITNESS MY HAND AND SEAL this 21st day of January 1969

State Engineer.